

Notice of Allowability	Application No.	Applicant(s)
	10/533,035	KURIYAMA, TAKAHIRO
	Examiner Tu Ba Hoang	Art Unit 2832

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to _____.
2. The allowed claim(s) is/are 1-10.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 04/28/05
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.


Tu Hoang
PRIMARY EXAMINER
AU2832

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Douglas P. Mueller on February 28, 2007.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 12-14 have been labeled as PRIOR ART. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Sadlo et al (US 4,486,738), Negoro (US 5,334,968), Collins (US 5,548,268), Lin et al (US 5,850,171), and Kuriyama (US 2006/0220783).

The following is an examiner's statement of reasons for allowance: allowance of claims 1-10 is indicated because the prior art of record does not show or fairly suggest a fix resistor network having recesses provided between the terminal electrodes, wherein as the pitch between the terminal electrodes along the longwise sidewall of the network substrate being at least 0.5mm, each recess has the width along the longwise sidewall from 0.44 to 0.48 times the pitch (i.e., from 0.22mm to 0.24mm) and terminal electrode-forming areas between the recess have the width along the longwise sidewall from 0.56 to 0.52 times the pitch (i.e., within the range of 0.26mm to 0.28mm) as recited in claim 1, or as the pitch between the terminal electrodes along the longwise sidewall of the network substrate being not more than 0.4mm, each recess has the width along the longwise sidewall from 0.525 to 0.625 times the pitch (i.e., from 0.21mm to 0.25mm) and terminal electrode-forming areas between the recess have the width along the longwise sidewall from 0.475 to 0.375 times the pitch (i.e., within the range of 0.15mm to 0.19mm) as recited in claim 7.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu Ba Hoang whose telephone number is (571) 272-4780. The examiner can normally be reached on Mon-Thu from 6:00AM to 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2832

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tu Ba Hoang
Tu Ba Hoang
Primary Examiner
Art Unit 2832

February 28, 2007

10/533035





Fig. 14

PRIOR ART

